

XML PAYMENT LIST

Service description

February 2013

19 February 2013

19 February 2013

Table of contents

1 General **Virhe. Kirjanmerkkiä ei ole määritetty.**

2 Structure of the XML payment list material **Virhe. Kirjanmerkkiä ei ole määritetty.**

19 February 2013

1 General

This document comprises a service description of a payment list in XML format. This service description applies to Aktia, Handelsbanken, Itella Bank, POP Banks and Savings Banks.

The XML payment list itemises payment batches received as XML payment material.

The XML payment list is used for reporting payment batches paid during the day. The transactions in the payment list include SEPA payments or international payments, or both, according to what has been agreed upon with the customer.

The XML payment list is not used for reporting payments included in a SALA payment batch or express transfers.

The payment list’s recipient, delivery route and the payment types to be reported are agreed upon between the customer and the bank.


The XML payment list can be added to the Webservice channel or the Corporate Network Service.

The material’s application ID is XM.

2 Structure of the XML payment list material

The XML payment list is provided as a Bank-to-Customer message type camt.054.001.02 (BankToCustomerDebitCreditNotificationV02).

Material structure:



2 Structure of the XML payment list material

19 February 2013

For a single payment batch, the notification is divided into as many Entry structures as there are charges allocated to the batch. All of the SEPA payments in the batch are itemised in a single Entry structure, but each international payment is presented in a separate Entry structure.

The Recurrent column in the table below is described in the following:

1..1 data available at all times

0..1 data can be available or missing

1..n data occurs at least once but it can also occur more frequently

XML message data:

Message data	XML Tag	Recur rence	Value, description, processing
Group Header		1..1	
MessageIdentification	<GrpHdr><MsgId>	1..1	The identifier that itemises the material
CreationDateTime	<GrpHdr><CreDtTm>	1..1	Material creation date and time
AdditionalInformation	<GrpHdr><AddtlInf>		Not in use
Notification		1..n	
Identification	<Ntfctn><Id>	1..1	Identifier
CreationDateTime	<Ntfctn><CreDtTm>	1..1	Material creation date and time
CopyDuplicateIndicator	<Ntfctn><CpyDplctInd>	0..1	Not in use
Account	<Ntfctn ><Acct> <Id><IBAN>	1..1	The account, the transactions of which are reported
Currency	<Ntfctn><Acct><Ccy>	0..1	Account currency
OwnerIdentification	<Ntfctn><Acct> <Ownr><Id><OrgId>	1..1	Service identifier.

19 February 2013

	<Othr><Id>		From the "Outgoing payments" service agreement
Servicer/ FinancialInstitutionIdent ification	<Ntfctn><Acct> <Svcr><FinnInstnId> <BIC>	1..1	The BIC code of the originator's bank.
TransactionSummary/ NumberOfEntries	<Ntfctn><TxSummry> <TtINtries> <NbOfNtries>	0..1	Quantity. The total number of successfully paid transactions in the batch.
Entry (1/charge concerning transactions in the batch)		1..n	
Amount / AmountCurrency	<Ntry><Amt Ccy...	1..1	Total amount of transactions (TransactionDetails in the Entry). The amount corresponds with the account transaction's amount. The Ccy attribute indicates the currency.
CreditDebitIndicator	<Ntry><CdtDbtInd>	1..1	Plus or minus sign for the amount (= debit). Constant "DBIT".
Status	<Ntry><Sts>	1..1	Constant "BOOK"
BookingDate	<Ntry><BookgDt><Dt>	0..1	Booking date in format yyyy-mm-dd
ValueDate	<Ntry><ValDt><Dt>	0..1	Not in use
AccountServicer Reference	<Ntry><AcctSvcrRef>	0..1	The account charge's archive identifier (SEPA payments total – charge or international payment)
Domain	<Ntry><BkTxCd> <Domn><Cd>	1..1	Constant "PMNT"

2 Structure of the XML payment list material

19 February 2013

FamilyCode	<Ntry><BkTxCd> <Domn><Family><Cd>	1..1	Constant "RCDP" in the SEPA payments entry, constant "ICDT" for the international payment entry
SubFamilyCode	<Ntry><BkTxCd> <Domn><Family> <SubFmlyCd>	1..1	Constant "ESCT" in the SEPA payments entry, constant "XBCT" for the international payment entry
Proprietary Code	<Ntry><BkTxCd> <Prtry><Cd>	0..1	Not in use
Issuer	<Ntry><BkTxCd> <Prtry><Issr>	0..1	Not in use
Entry Details 1/Entry			
MessageIdentification	<Ntry><NtryDtls> <Btch><Msgld>		An identifier of received XML payment material provided by the customer
PaymentInformation Identification	<Ntry><NtryDtls> <Btch><PmtInfld>		An identifier of received XML payment material provided for the batch by the customer
NumberOfTransactions	<Ntry><NtryDtls> <Btch><NbOfTxs>	1..1	Total number of transactions Note: Always 1 in international payment entries
TotalAmount	<Ntry><NtryDtls> <Btch><TtlAmt>	1..1	Total amount of transactions in the SEPA payment entry The transaction amount in the international payment entry The Ccy attribute indicates the debit account's currency.

2 Structure of the XML payment list material

19 February 2013

CreditDebitIndicator	<Ntry><NtryDtls> <Btch><CdtDbtInd>	1..1	Plus or minus sign for the amount. Constant "DBIT".
TransactionDetails (1/a payment batch's paid transaction)		1..n	
AccountServicer Reference	<Ntry><NtryDtls> <TxDtls><Refs> <AcctSvcrRef>	0..1	Transaction's archive ID
InstructionIdentification	<Ntry><NtryDtls> <TxDtls> <Refs> <InstrId>	0..1	An identifier of received XML payment material provided for the transaction by the payer
EndToEndIdentification	<Ntry><NtryDtls> <TxDtls><Refs> <EndToEndId>	0..1	An identifier of received XML payment material provided for the transaction by the payer
InstructedAmount	<Ntry><NtryDtls> <TxDtls><AmtDtls> <InstdAmt>	0..1	For international payments ONLY The currency and amount of the payment
TransactionAmount	<Ntry><NtryDtls> <TxDtls><AmtDtls> <TxAmt >	0..1	Transaction amount and currency in the debit account's currency
SourceCurrency	<Ntry><NtryDtls> <TxDtls><AmtDtls> <TxAmt><CcyXchg> <SrcCcy>	0..1	For international payments ONLY Payment currency
TargetCurrency	<Ntry><NtryDtls> <TxDtls><AmtDtls> <TxAmt><CcyXchg> <TrgtCcy>	0..1	For international payments ONLY Debit account's currency
UnitCurrency	<Ntry><NtryDtls> <TxDtls><AmtDtls> <TxAmt><CcyXchg> <UnitCcy>	0..1	For international payments ONLY Constant "EUR"

2 Structure of the XML payment list material

19 February 2013

ExchangeRate	<Ntry><NtryDtls> <TxDtls><AmtDtls> <TxAmt><CcyXchg> <XchgRate>	0..1	For international payments ONLY Exchange rate
ContractIdentification	<Ntry><NtryDtls> <TxDtls><AmtDtls> <TxAmt><CcyXchg> <CtrctId>	0..1	For international payments ONLY Exchange rate reference
DebtorName	<Ntry><NtryDtls> <TxDtls><RltdPties> <Dbtr><Nm>	0..1	Payer's name
UltimateDebtorName	<Ntry><NtryDtls> <TxDtls><RltdPties> <UltmtDbtr><Nm>	0..1	Name of the original payer
CreditorName	<Ntry><NtryDtls> <TxDtls><RltdPties> <Cdtr><Nm>	0..1	Recipient's name
CreditorAddress/ CountryCode	<Ntry><NtryDtls> <TxDtls><RltdPties> <Cdtr><PstlAdr><Ctry>	0..1	Country code of the recipient's address
CreditorAddress/ AdrLine	<Ntry><NtryDtls> <TxDtls><RltdPties> <Cdtr><PstlAdr> <AdrLine>	0..1	Recipient's address
CreditorAccount	<Ntry><NtryDtls> <TxDtls><RltdPties> <CdtrAcct><Id><IBAN>	0..1	Recipient's account in IBAN format
CreditorAccount	<Ntry><NtryDtls> <TxDtls><RltdPties> <CdtrAcct><Id> <Othr><Id>	0..1	For international payments ONLY when the recipient's account is other than IBAN
CreditorAccount, SchmeName	<Ntry><NtryDtls> <TxDtls><RltdPties> <CdtrAcct><Id><Othr> <SchmeNm><Cd>	0..1	For international payments ONLY Format of the recipient's account Constant "BBAN" if the recipient's account is in BBAN format
CreditorAccountType	<Ntry><NtryDtls> <TxDtls><RltdPties>	0..1	Not in use

2 Structure of the XML payment list material

19 February 2013

	<CdrAcct><Id><Tp> <Prtry>		
UltimateCreditorName	<Ntry><NtryDtls> <TxDtls><RltdPties> <UltmtCdr><Nm>	0..1	Name of the ultimate recipient
CreditorAgent,BIC	<Ntry><NtryDtls> <TxDtls><RltdAgts> <CdrAgt><FinInstnId> <BIC>	0..1	Recipient's bank, BIC
CreditorAgent, ClearingSystemIdentification	<Ntry><NtryDtls> <TxDtls><RltdAgts> <CdrAgt><FinInstnId> <ClrSysMmbld> <ClrSysId><Cd>	0..1	For international payments ONLY Recipient's bank, clearing code
CreditorAgent Name	<Ntry><NtryDtls> <TxDtls><RltdAgts> <CdrAgt><FinInstnId> <Nm>	0..1	For international payments ONLY The name of the recipient's bank
CreditorAgent, Country	<Ntry><NtryDtls> <TxDtls><RltdAgts> <CdrAgt> <FinInstnId><PstlAdr>< Ctry>	0..1	For international payments ONLY Country of the recipient's bank
CreditorAgent, Address	<Ntry><NtryDtls> <TxDtls><RltdAgts> <CdrAgt><FinInstnId> <PstlAdr><AdrLine>	0..1	For international payments ONLY The address of the recipient's bank.
RemittanceInformation = transaction message(s)		1..n	
when the payment has only one remittance info (Ustrd or Strd)			
RemittanceInformation Unstructured	<Ntry><NtryDtls> <TxDtls><RmtInf> <Ustrd>	0..1	Free-format message
CreditorReferenceInformation, Code	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><CdrRefInf> <Tp><CdOrPrty><Cd>	0..1	"SCOR" when the payment has been handled with a reference
Issuer	<Ntry><NtryDtls> <TxDtls><RmtInf>	0..1	"ISO" when the reference follows the international

19 February 2013

	<Strd><CdtrRefInf> <Tp><Issr>		reference standard
Reference	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><CdtrRefInf> <Ref>	0..1	Reference
Remittance information, ReferredDocumentInformation = transaction itemisation message 1..n			
For SEPA payments only, not for international payments.			
ReferredDocument Information, Code	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><RfrdDocInf> <Tp><CdOrPrtry><Cd>	0..1	Invoice class/type CINV/CREN
ReferredDocument Information, Number	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><RfrdDocInf> <Tp><Nb>	0..1	Invoice number
ReferredDocument Information, CreditNoteAmount	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><RfrdDocAmt> <CdtNoteAmt>	0..1	Amount, credit invoice
ReferredDocument Information, RemittedAmount	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><RfrdDocAmt> <RmtdAmt>	0..1	Amount, invoice
Code	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><CdtrRefInf> <Tp><CdOrPrty><Cd>	0..1	Not in use
Issuer	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><CdtrRefInf> <Tp><Issr>	0..1	Not in use
Reference	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><CdtrRefInf> <Ref>	0..1	Reference
AdditionalRemittanceInformation	<Ntry><NtryDtls> <TxDtls><RmtInf> <Strd><AddtlRmtInf>	0..1	Message

19 February 2013

EXAMPLES OF XML PAYMENT LISTS

One SEPA payment and one international payment have been paid from the customer's payment batch:

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:camt.054.001.02
  camt.054.001.02.xsd"
  xmlns="urn:iso:std:iso:20022:tech:xsd:camt.054.001.02">
<BkToCstmrDbtCdtNtfctn>
<GrpHdr>
  <MsgId>201302130943XM00000003</MsgId>
  <CreDtTm>2013-02-13T09:43:08+02:00</CreDtTm>
</GrpHdr>
<Ntfctn>
  <Id>XM000000000701453</Id>
  <CreDtTm>2013-02-13T09:43:08+02:00</CreDtTm>
  <Acct>
    <Id>
      <IBAN>FI1212345678901234</IBAN>
    </Id>
    <Ccy>EUR</Ccy>
    <Ownr>
      <Id>
        <OrgId>
          <Othr><Id>987654321</Id></Othr>
        </OrgId>
      </Id>
    </Ownr>
    <Svcr>
      <FinInstnId>
        <BIC>BANKFIHH</BIC>
      </FinInstnId>
    </Svcr>
  </Acct>
  <TxSummry>
    <TtlNtries>
      <NbOfNtries>2</NbOfNtries>
    </TtlNtries>
  </TxSummry>
  <Ntry>
    <Amt Ccy="EUR">8.00</Amt>
    <CdtDbtInd>DBIT</CdtDbtInd>
    <Sts>BOOK</Sts>
```

19 February 2013

```
<BookgDt>
  <Dt>2013-02-06</Dt>
</BookgDt>
<AcctSvcrRef>201302061234LX000008</AcctSvcrRef>
<BkTxCd>
  <Domn>
    <Cd>PMNT</Cd>
  <Fmly>
    <Cd>RCDT</Cd>
    <SubFmlyCd>ESCT</SubFmlyCd>
  </Fmly>
</Domn>
</BkTxCd>
<NtryDtls>
  <Btch>
    <MsgId>Asiakkaan_oma_tunniste1</MsgId>
    <PmtInflId>Asiakkaan_oma_eran_tunniste1</PmtInflId>
    <NbOfTx>1</NbOfTx>
    <TtlAmt Ccy="EUR">8.00</TtlAmt>
    <CdtDbtInd>DBIT</CdtDbtInd>
  </Btch>
  <TxDtls>
    <Refs>
      <AcctSvcrRef>201302061234LX000007</AcctSvcrRef>
      <InstrId>Asiakkaan_lahettama_Instrid1</InstrId>
      <EndToEndId>Asiakkaan_lahettama_E2EId1</EndToEndId>
    </Refs>
    <AmtDtls>
      <InstdAmt>
        <Amt Ccy="EUR">8.00</Amt>
      </InstdAmt>
    </AmtDtls>
    <RltdPties>
      <Dbtr>
        <Nm>Matti Maksaja oy</Nm>
      </Dbtr>
      <Cdtr>
        <Nm>Saaja Saksalainen</Nm>
        <PstlAdr>
          <Ctry>DE</Ctry>
        </PstlAdr>
      </Cdtr>
      <CdtrAcct>
        <Id>
          <IBAN>DE9912222333344444</IBAN>
        </Id>
      </CdtrAcct>
    </RltdPties>
```

2 Structure of the XML payment list material

19 February 2013

```
<RltdAgts>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DEUTDEDD</BIC>
    </FinInstnId>
  </CdtrAgt>
</RltdAgts>
<RmtInf>
  <Ustrd>Vapaa viesti</Ustrd>
</RmtInf>
</TxDtIs>
</NtryDtIs>
</Ntry>
<Ntry>
  <Amt Ccy="EUR">9.00</Amt>
  <CdtDbtInd>DBIT</CdtDbtInd>
  <Sts>BOOK</Sts>
  <BookgDt>
    <Dt>2013-02-06</Dt>
  </BookgDt>
  <AcctSvcrRef>20130206123497U60003</AcctSvcrRef>
  <BkTxCd>
    <Domn>
      <Cd>PMNT</Cd>
    <Fmly>
      <Cd>ICDT</Cd>
      <SubFmlyCd>XPCT</SubFmlyCd>
    </Fmly>
  </Domn>
</BkTxCd>
<NtryDtIs>
  <Btch>
    <MsgId> Asiakkaan_oma_tunniste1</MsgId>
    <PmtInflId> Asiakkaan_oma_eran_tunniste1</PmtInflId>
    <NbOfTx>1</NbOfTx>
    <TtlAmt Ccy="EUR">9.00</TtlAmt>
    <CdtDbtInd>DBIT</CdtDbtInd>
  </Btch>
  <TxDtIs>
    <Refs>
      <AcctSvcrRef>20130206123497U60002</AcctSvcrRef>
      <InstrId> Asiakkaan_lahettama_Instrid2</InstrId>
      <EndToEndId> Asiakkaan_lahettama_E2EId2</EndToEndId>
    </Refs>
    <AmtDtIs>
      <InstdAmt>
        <Amt Ccy="GBP">8.10</Amt>
      </InstdAmt>
    </AmtDtIs>
  </TxDtIs>
</NtryDtIs>
</Ntry>
</Ntry>
```

2 Structure of the XML payment list material

19 February 2013

```
<TxAmt>
  <Amt Ccy="EUR">9.00</Amt>
  <CcyXchg>
    <SrcCcy>GBP</SrcCcy>
    <TrgtCcy>EUR</TrgtCcy>
    <UnitCcy>EUR</UnitCcy>
    <XchgRate>0.90000</XchgRate>
  </CcyXchg>
</TxAmt>
</AmtDtls>
<RltdPties>
  <Dbtr>
    <Nm>Matti Maksaja Oy</Nm>
  </Dbtr>
  <Cdtr>
    <Nm>Saaja Britti</Nm>
    <PstlAdr>
      <Ctry>GB</Ctry>
      <AdrLine>Accrington</AdrLine>
    </PstlAdr>
  </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>12345678</IBAN>
    </Id>
  </CdtrAcct>
</RltdPties>
  <RltdAgts>
    <CdtrAgt>
      <FinInstnId>
        <ClrSysMmbld>
          <ClrSysId>
            <Cd>SC010</Cd>
          </ClrSysId>
          <Mmbld>004</Mmbld>
        </ClrSysMmbld>
      </FinInstnId>
    </CdtrAgt>
  </RltdAgts>
  <RmtInf>
    <Ustrd>Free message</Ustrd>
  </RmtInf>
</TxDtls>
</NtryDtls>
</Ntry>
</Ntfctn>
</BkToCstmrDbtCdtNtfctn>
</Document>
```

19 February 2013

Three SEPA payments have been paid from the customer's payment batch:

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:iso:std:iso:20022:tech:xsd:camt.054.001.02
  camt.054.001.02.xsd"
  xmlns="urn:iso:std:iso:20022:tech:xsd:camt.054.001.02">
<BkToCstmrDbtCdtNtfctn>
  <GrpHdr>
    <MsgId>201302130943XM00000006</MsgId>
    <CreDtTm>2013-02-13T09:43:08+02:00</CreDtTm>
  </GrpHdr>
  <Ntfctn>
    <Id>XM000000000701462</Id>
    <CreDtTm>2013-02-13T09:43:08+02:00</CreDtTm>
    <Acct>
      <Id>
        <IBAN>FI1212345678901234</IBAN>
      </Id>
      <Ccy>EUR</Ccy>
      <Owr>
        <Id>
          <OrgId>
            <Othr><Id>987654321</Id></Othr>
          </OrgId>
        </Id>
      </Owr>
      <Svcr>
        <FinInstnId>
          <BIC>BANKFIHH</BIC>
        </FinInstnId>
      </Svcr>
    </Acct>
    <TxSummry>
      <TtlNtries>
        <NbOfNtries>3</NbOfNtries>
      </TtlNtries>
    </TxSummry>
    <Ntry>
      <Amt Ccy="EUR">30.88</Amt>
      <CdtDbtInd>DBIT</CdtDbtInd>
      <Sts>BOOK</Sts>
      <BookgDt>
        <Dt>2013-02-06</Dt>
      </BookgDt>
```

19 February 2013

```
<AcctSvcrRef>201302061234LX000004</AcctSvcrRef>
<BkTxCd>
  <Domn>
    <Cd>PMNT</Cd>
    <Fmly>
      <Cd>RCDT</Cd>
      <SubFmlyCd>ESCT</SubFmlyCd>
    </Fmly>
  </Domn>
</BkTxCd>
<NtryDtls>
<Btch>
  <MsgId> Asiakkaan_oma_tunniste2</MsgId>
  <PmtInflId> Asiakkaan_oma_eran_tunniste1</PmtInflId>
  <NbOfTx>3</NbOfTx>
  <TtlAmt Ccy="EUR">30.88</TtlAmt>
  <CdtDbtInd>DBIT</CdtDbtInd>
</Btch>
<TxDtls>
  <Refs>
    <AcctSvcrRef>201302061234LX000002</AcctSvcrRef>
    <InstrId> Asiakkaan_lahettama_Instrid3</InstrId>
    <EndToEndId> Asiakkaan_lahettama_E2EId3</EndToEndId>
  </Refs>
  <AmtDtls>
    <InstdAmt>
      <Amt Ccy="EUR">8.90</Amt>
    </InstdAmt>
  </AmtDtls>
  <RltdPties>
    <Dbtr>
      <Nm>Matti Maksaja oy</Nm>
    </Dbtr>
    <Cdtr>
      <Nm>Sakke Saaja</Nm>
      <PstlAdr>
        <Ctry>FI</Ctry>
      </PstlAdr>
    </Cdtr>
    <CdtrAcct>
      <Id>
        <IBAN>FI1233334444444444</IBAN>
      </Id>
    </CdtrAcct>
  </RltdPties>
  <RltdAgts>
    <CdtrAgt>
      <FinInstnId>
```


2 Structure of the XML payment list material

19 February 2013

```
<BIC>NDEAFIHH</BIC>
</FinInstnId>
</CdtrAgt>
</RltdAgts>
<RmtInf>
  <Ustrd>vapaata viestiä</Ustrd>
</RmtInf>
</TxDtIs>
<TxDtIs>
  <Refs>
    <AcctSvcrRef>201302067157LX000003</AcctSvcrRef>
    <InstrId> Asiakkaan_lahettama_Instrid4</InstrId>
    <EndToEndId> Asiakkaan_lahettama_E2EId4</EndToEndId>
  </Refs>
  <AmtDtIs>
    <InstdAmt>
      <Amt Ccy="EUR">11.99</Amt>
    </InstdAmt>
  </AmtDtIs>
  <RltdPties>
    <Dbtr>
      <Nm>Samlink</Nm>
    </Dbtr>
    <Cdtr>
      <Nm>Matti Maksaja oy</Nm>
      <PstlAdr>
        <Ctry>FI</Ctry>
      </PstlAdr>
    </Cdtr>
  <CdtrAcct>
    <Id>
      <IBAN>FI7855556666666666</IBAN>
    </Id>
  </CdtrAcct>
</RltdPties>
<RltdAgts>
  <CdtrAgt>
    <FinInstnId>
      <BIC>DABAFIHH</BIC>
    </FinInstnId>
  </CdtrAgt>
</RltdAgts>
<RmtInf>
  <Strd>
    <CdtrRefInf>
      <Tp>
        <CdOrPrtry><Cd>SCOR</Cd></CdOrPrtry>
      </Tp>
```

2 Structure of the XML payment list material

19 February 2013

```
<Ref>0000000000000000065650</Ref>
</CdtrRefInf>
</Strd>
</RmtInf>
</TxDtIs>
<TxDtIs>
<Refs>
<AcctSvcrRef>201302061234LX000001</AcctSvcrRef>
<InstrId> Asiakkaan_lahettama_Instrid5</InstrId>
<EndToEndId> Asiakkaan_lahettama_E2EId5</EndToEndId>
</Refs>
<AmtDtIs>
<InstdAmt>
<Amt Ccy="EUR">9.99</Amt>
</InstdAmt>
</AmtDtIs>
<RltdPtIs>
<Dbtr>
<Nm>Samlink</Nm>
</Dbtr>
<Cdtr>
<Nm>Niilo Nordea</Nm>
<PstlAdr>
<Ctry>FI</Ctry>
</PstlAdr>
</Cdtr>
<CdtrAcct>
<Id>
<IBAN>FI4855556666666666</IBAN>
</Id>
</CdtrAcct>
</RltdPtIs>
<RltdAgts>
<CdtrAgt>
<FinInstnId>
<BIC>NDEAFIHH</BIC>
</FinInstnId>
</CdtrAgt>
</RltdAgts>
<RmtInf>
<Strd>
<CdtrRefInf>
<Tp>
<CdOrPrtry>
<Cd>SCOR</Cd></CdOrPrtry>
</Tp>
<Ref>0000000000000000065650</Ref></CdtrRefInf>
</Strd>
```

2 Structure of the XML payment list material

19 February 2013

```
</RmtInf>  
</TxDtIs>  
</NtryDtIs>  
</Ntry>  
</Ntfctn>  
</BkToCstmrDbtCdtNtfctn>  
</Document>
```